



Desktop Security Solutions



Desktop Swivel Mounts



Flat & Tilt Wall Mounts



Pull-out Swivel Wall Mounts



Pivot & Articulating Wall Arms



Hospitality Collection








AUDIO / VISUAL MOUNTING SOLUTIONS FOR HOSPITALITY

DESKTOP SWIVEL MOUNTS & SECURITY SOLUTIONS



- 1. OPTIMUM VIEWING ANGLE**
Offers up to 360° of swivel for flexible TV positioning
- 2. CLEAN APPLICATION**
Internal cable management for a clean installation
- 3. ADJUSTABLE HEIGHTS**
Easy vertical adjustment to accommodate various TV sizes
- 4. UNIVERSAL SCREEN ADAPTERS**
Accommodates a variety of TV models
- 5. SECURITY SCREWS**
Prevent tampering or theft by securing the TV

	 HP432 (-S) / HP442	 HP450 (-S) (-GB)	 HP432-B (-S) (-GB)	 HP442-V2X2-B	 HP432-002 (-S) (-GB)	 HLG452-PH(-Q10) / HLG452-SM(-Q10) / HLG452-003	 HLG452-LG(-Q10)	 FLD-UNV(-S)
	DESKTOP SWIVEL MOUNT COLOR: Black or silver	UNIVERSAL DESKTOP SWIVEL MOUNT COLOR: Black, silver or gloss black	DESKTOP SWIVEL MOUNT COLOR: Black, silver or gloss black	DESKTOP SWIVEL MOUNT COLOR: Black	DESKTOP SWIVEL MOUNT COLOR: Black, silver or gloss black	BASE STAND LOCK-DOWN PLATE COLOR: Black	BASE STAND LOCK-DOWN PLATE COLOR: Black	BASE STAND LOCK-DOWN KIT COLOR: Black or silver
	<ul style="list-style-type: none"> Built-in swivel up to 360° allows for optimum viewing angle Base stand bolts down for safety/security Adjustable height allows for greater flexibility Cable management internally through the mount and down through the mounting surface Decorative base is aesthetically pleasing and hides desktop mounting hardware Security screws prevent tampering and theft HP422 model features a deeper adapter plate to accommodate display back panel bump-outs, protrusions or jack inputs 	<ul style="list-style-type: none"> Built-in swivel up to 360° allows for optimum viewing angle Base stand bolts down for safety and security Adjustable height allows for greater flexibility Cable management internally through the mount and down through the mounting surface Decorative base is aesthetically pleasing and hides desktop mounting hardware Security screws prevent tampering and theft 	<ul style="list-style-type: none"> Built-in swivel up to 360° allows for optimum viewing angle Base stand bolts down for safety and security Adjustable height allows for greater flexibility Cable management internally through the mount and down through the mounting surface Decorative base is aesthetically pleasing and hides desktop mounting hardware Security screws and key locks prevent tampering and theft 	<ul style="list-style-type: none"> Built-in swivel up to 360° allows for optimum viewing angle Base stand bolts down for safety and security Adjustable height allows for greater flexibility Cable management internally through the mount and down through the mounting surface Decorative base is aesthetically pleasing and hides desktop mounting hardware Security screws and key locks prevent tampering and theft 	<ul style="list-style-type: none"> Built-in swivel up to 60° (±30°) allows for adjustable viewing angles Base stand bolts down for safety and security Adjustable height allows for greater flexibility Security screws prevent tampering and theft 	<ul style="list-style-type: none"> Plate quickly attaches to bottom of TV base stand Security hardware and VHB tape options for attaching the base to the desktop surface Slim, low-profile hides plate from view 1" (25mm) of front-to-back adjustment Includes all necessary mounting hardware* 	<ul style="list-style-type: none"> Adds additional rigidity to the manufacturer's base stand for enhanced security Plate quickly and easily attaches to bottom of TV base stand Security hardware and VHB tape options for attaching the base stand to the desktop surface Ultra-slim, low-profile design hides plate from view Up to 2" (51mm) of front-to-back adjustment Includes all necessary mounting hardware* 	<ul style="list-style-type: none"> Securely mounts TV base stand to most surfaces with tamper-resistant hardware Low-profile clips remain hidden when installed
Accessories	page 8							

	HP432 (-S) / HP442	HP450 (-S) (-GB)	HP432-B (-S) (-GB)	HP442-V2X2-B	HP432-002 (-S) (-GB)	HLG452-PH(-Q10) / HLG452-SM(-Q10) / HLG452-003	HLG452-LG(-Q10)	FLD-UNV(-S)
TV Sizes 	32"-42" 32"-42"	32"-52"	26"-32"	37"-50"	26"-37"	Select Philips Models: 26"-52" Select Samsung Models: 22"-52" Select Sharp, Panasonic, Westinghouse Models	Select LG Models: 26"-42"	Variety of Models 22"-42"
VESA® pattern 	200 x 100 and 200 x 200mm	universal adapter plate	200 x 100mm	200 x 200mm	200 x 200, 200 x 100, 100 x 200 and 100 x 100mm	—	—	—
Swivel 	360° with swivel stops available 60° (±30°) at 40°, 60°, 120°, 180°, 210° & 240° <small>(cables will only allow swivel up to their available length(s))</small>	360° with swivel stops available 60° (±30°) at 40°, 60°, 120°, 180°, 210° & 240° <small>(cables will only allow swivel up to their available length(s))</small>	360° with swivel stops available 60° (±30°) at 40°, 60°, 120°, 180°, 210° & 240° <small>(cables will only allow swivel up to their available length(s))</small>	360° with swivel stops available 60° (±30°) at 40°, 60°, 120°, 180°, 210° & 240° <small>(cables will only allow swivel up to their available length(s))</small>	60° (±30°)	—	—	—
Security 	security screws & nuts	security screws & nuts	keyed barrel locks & security nuts <small>(For additional security, cam locking models are available)</small>	keyed barrel locks & security nuts <small>(For additional security, cam locking models are available)</small>	security screws	slope nuts or VHB tape	slope nuts or VHB tape	security screws
Max Load Capacity 	150lb (68kg)	150lb (68kg)	80lb (36kg)	80lb (36kg)	80lb (36kg)	100lb (45kg)	100lb (45kg)	100lb (45kg)
Cable Management 	internal	internal	internal	internal	—	—	—	—
Height Adjustable 	Up to 8" (203mm) with 1" (25mm) increments	Up to 4" (102mm) with 1" (25mm) increments	—	Up to 4" (102mm) with 1" (25mm) increments	15.7"-21.76" (399-553mm) from desktop to top mounting hole with 1.5" (38mm) increments	—	—	—

UNIVERSAL FLAT & TILT WALL MOUNTS



- 1. CLEAN PROFILE DESIGN**
Hides cables within enclosed wall plate for a clutter-free installation
- 2. FLAT AND TILT FUNCTIONALITY**
Can be used in flat or tilt position to conceal cables and mounting mechanism
- 3. HOOK AND HANG DESIGN**
Simple design allows for an easy installation
- 4. OPEN WALL PLATE**
Allows for total wall access increasing electrical and cable management options



PT-420A shown



	SmartMount® SF632(S) / ST632(S)	SmartMount® SF640(S) / ST640(S)	SmartMount® SF650(S) / ST650(S)	LT-320	HT642-002	PT-420A	HT642
UNIVERSAL FLAT & TILT WALL MOUNTS COLOR: Black or silver	UNIVERSAL FLAT & TILT WALL MOUNTS COLOR: Black or silver	UNIVERSAL FLAT & TILT WALL MOUNTS COLOR: Black or silver	ENCLOSED FLAT/TILT WALL MOUNT COLOR: Black	ENCLOSED FLAT/TILT WALL MOUNT COLOR: Black	ENCLOSED FLAT/TILT WALL MOUNT COLOR: Black	ENCLOSED FLAT/TILT WALL MOUNT COLOR: Black	
<ul style="list-style-type: none"> Screen adapter plate simply hooks on to the wall plate for quick and easy installation Includes hardware for installation to wood stud, concrete, cinder block and metal stud (metal stud accessory required)* 	<ul style="list-style-type: none"> Open wall plate design allows for total wall access, increasing electrical and cable management options Universal adapters easily hooks on to wall plate for fast installation Includes hardware for installation to wood stud, concrete, cinder block and metal stud (metal stud accessory required)* Comes with Peerless' Sorted-For-You™ fastener pack with all necessary TV attachment hardware 	<ul style="list-style-type: none"> Open wall plate design allows for total wall access, increasing electrical and cable management options Universal adapters easily hooks on to wall plate for fast installation Includes hardware for installation to wood stud, concrete, cinder block and metal stud (metal stud accessory required)* Comes with Peerless' Sorted-For-You™ fastener pack with all necessary TV attachment hardware 	<ul style="list-style-type: none"> Flat and tilt wall mount functionality Clean profile design hides cables and hardware within enclosed wall plate for a clutter-free installation Mounts to single stud or 16" (406 mm) stud centers Includes hardware for installation to wood studs, concrete or cinder block 	<ul style="list-style-type: none"> Flat and tilt wall mount functionality Hook and hang design allows for an easy installation Clean profile design hides cables and mount within enclosed wall plate for a clutter-free installation Open wall plate design allows for total wall access, increasing electrical and cable management options Includes hardware for installation to wood and metal studs, concrete or cinder block Slightly deeper adapter plate accommodates display back panel bump-outs, protrusions or jack inputs 	<ul style="list-style-type: none"> Flat and tilt wall mount functionality Hook and hang design allows for an easy installation Clean profile design hides cables and mount within enclosed wall plate for a clutter-free installation Open wall plate design allows for total wall access, increasing electrical and cable management options Includes hardware for installation to wood studs, concrete or cinder block (metal stud accessory required)* 	<ul style="list-style-type: none"> Flat and tilt wall mount functionality Space within mount for housing media control boxes Clean profile design hides cables and mount within enclosed wall plate for a clutter-free installation Open wall plate design allows for total wall access, increasing electrical and cable management options Includes hardware for installation to wood studs, concrete or cinder block (metal stud accessory required)* 	
Accessories page 8	*ACC215	*ACC415	*ACC415		*ACC415	*ACC415	*ACC415

	22"-40"	23"-46"	32"-56"	26"-42"	32"-50"	37"-42"	37"-50"
TV Sizes	22"-40"	23"-46"	32"-56"	26"-42"	32"-50"	37"-42"	37"-50"
VESA® pattern	75, 100, 200 x 100 and 200 x 200 m <i>Additional screen adapter plates also available</i>	Up to 400 x 300mm	Up to 700 x 400mm	100 x 100 and 200 x 100mm	400 x 200, 200 x 200 and 200 x 100mm	600 x 400, 638 x 163, 638 x 268, 638 x 380 and 650 x 300mm	400 x 400mm
Adjustable mounting pattern (W x H)	—	17.73" x 12.94" (450 x 329mm) SF640 models 18" x 12.94" (457 x 328mm) ST640 models	29.23" x 17.05" (784 x 433mm) SF650 models 29.5" x 17.67" (749 x 449mm) ST650 models	—	—	—	—
Distance from the wall	1.1" (28mm) SF632 models 1.66" (42mm) ST632 models	1.2" (30mm) SF640 models 2.6" (66mm) ST640 models	1.7" (43mm) SF650 models 2.6" (66mm) ST650 models	2.53" (64mm)	2.15" (55mm)	2.25" (57mm)	2.25" (57mm)
Tilt	— SF632 models +15°/-5° ST632 models	— SF640 models +15°/-5° ST640 models	— SF650 models +15°/-5° ST650 models	+15°/-2°	+5°/-1°	+5°/-1°	+5°/-1°
Horizontal screen adjustment	—	up to 6" (152mm)	up to 8" (203mm)	—	—	—	—
Security	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Max load	115lb (52kg)	150lb (68kg)	175lb (79kg)	80lb (36kg)	75lb (34kg)	100lb (45kg)	100lb (45kg)
UL/TUV/GS Listed	Yes	Yes	Yes	UL Tested	UL Tested	Yes	UL Tested

UNIVERSAL PIVOT & ARTICULATING WALL MOUNTS
















- 1. LOW-PROFILE**
Reduced depth of 4.43" holds screen closer to the wall than ever before
- 2. NEW WALL PLATE DESIGN**
Sleek wall plate design for increased wall access and improved aesthetic
- 3. CLEAN LOOKS**
Integrated Cable management provides ample area to run cables to complete a professional installation
- 4. PERFECT POSITIONING**
1" of vertical adjustment for fine tuning of screen positioning
- 5. FULL RANGE OF MOTION**
Multi-link construction allows for a full 180° of articulation



	SmartMount® SP730P(S) / SA730P(S)	SmartMount® SP740P(S) / SA740P(S)	FPS-1000(GB)	SmartMount® SP850-UNL(-S)	SmartMount® SP746PU / SA746PU	SmartMount® SA752P(U)	SmartMount® SA761P(U)	IM760PU(-S)
PIVOT & ARTICULATING WALL ARM COLOR: Gloss black or gloss silver	PIVOT & ARTICULATING WALL ARM COLOR: Gloss black or gloss silver	PULL-OUT SWIVEL WALL MOUNT COLOR: Black or gloss black	PULL-OUT SWIVEL WALL MOUNT COLOR: Black or silver	PIVOT & ARTICULATING WALL ARM COLOR: Gloss black	ARTICULATING WALL ARM COLOR: Gloss black	ARTICULATING WALL ARM COLOR: Gloss black	ARTICULATING WALL ARM COLOR: Gloss black	IN-WALL MOUNT COLOR: Gloss black or gloss silver
<ul style="list-style-type: none"> Single stud mounting for a low-profile and fast installation Integrated cable management system makes running cables simple while keeping the cables protected Screen centers on wall plate for easy mount placement with SA730P(-S) Mounts to wood studs, concrete, cinder block or metal studs 	<ul style="list-style-type: none"> Single stud mounting for a low-profile and fast installation Integrated cable management system makes running cables simple while keeping the cables protected Screen centers on wall plate for easy mount placement with SA740P(-S) Mounts to wood studs, concrete, cinder block or metal studs (metal stud accessory required)* 	<ul style="list-style-type: none"> Ideal for wall mount applications and attachment to false backsplashes Easy pull-out swivel provides quick maintenance access Clean profile design hides wiring and mount within enclosed wall plate When extended, TV can swivel up to 45° left and right depending on TV size 2" (51 mm) deep when closed, swivel arms extend to 10.5" (267 mm) Includes hardware for installation to wood stud, concrete or cinder block 	<ul style="list-style-type: none"> Integrated cable management for a clean look Locking tab provides optional swivel restriction to one side Lock Key™ installation tool secures arms for easy screen installation Lock-out feature prevents unwanted extension Includes theft resistant hardware for attaching screen to mount Includes hardware for installation to wood stud, concrete or cinder block 	<ul style="list-style-type: none"> Single stud mounting for a low-profile and fast installation Integrated cable management system makes running cables simple while keeping the cables protected Screen centers on wall plate for easy mount placement with SA746PU Mounts to wood studs, concrete, cinder block or metal studs (metal stud accessory required)* 	<ul style="list-style-type: none"> Multi-link construction allows for a full 180° range of motion Integrated cable management contains, protects and conceals cables for a clean clutter-free look Screen can be rotated from portrait to landscape without removing the screen 1" (25mm) vertical adjustment for screen position fine tuning Mounts to wood studs, concrete, cinder block 	<ul style="list-style-type: none"> Multi-link construction allows for a full 180° range of motion Minimalistic wall plate footprint for increased wall access and improved aesthetics Integrated cable management contains, protects and conceals cables for a clean clutter-free look Screen can be rotated from portrait to landscape without removing the screen 1" (25mm) vertical adjustment for screen position fine tuning Mounts to wood studs, concrete, cinder block or metal studs (metal stud accessory required)* 	<ul style="list-style-type: none"> Decorative trim ring included for a clean look Installs between 1 6" (406mm) wood stud centers Stud-locating tabs adjust 1/4" (6mm) left or right to accommodate stud spacing Removable gang box and cable management access plates make installation easy Includes hardware for installation to wood stud 	
Accessories page B	*ACC215/ WSP700/ WSP701	*WSP700/ WSP701			*WSP700/ WSP701		*WSP756	*WSP756

TV Sizes <i>Reference LG Compatibility Chart for specific display model numbers</i>	10"-24"	22"-40"	32"-58"	32"-58"	26"-46"	32"-52"	37"-60"	32"-65"
VESA® pattern	75/100mm <i>Additional screen adapter plates also available</i>	75, 100, 200 x 100 and 200 x 200mm <i>Additional screen adapter plates also available</i>	100 x 100 and 200 x 100mm	100, 200 x 100mm	up to 400 x 400mm	up to 600 x 400mm	up to 600 x 400mm	up to 600 x 400mm
Adjustable mounting pattern	—	—	—	28.7" W x 17" H (729 x 432 mm)	17" x 16.06" (432 x 408mm)	27" x 17.29" (686 x 439mm)	27" x 17.29" (686 x 439mm)	28.7" x 17.05" (729 x 433mm)
Distance from the wall	2.19"-9.31" (56-237mm) <i>SP730P models</i> 2.19"-16.06" (55-408mm) <i>SA730P models</i>	2.99"-11.8" (76-300mm) <i>SP740P models</i> 3.3"-20.18" (84-513mm) <i>SA740P models</i>	2.18"-10.52" (55-267 mm)	3.4"-11.9" (86-302 mm)	3.74"-12.55" (95-319mm) <i>SP746PU models</i> 4.34"-20.92" (110-531mm) <i>SA746PU models</i>	4.43"-27.43" (113-697mm) <i>SA752PU models</i> 2.73"-25.73" (69-654mm) <i>SA752P models</i>	4.43"-27.55" (113-700mm) <i>SA761PU models</i> 2.85"-25.85" (72-657mm) <i>SA761P models</i>	2.14"-19.88" (54-505mm)
Tilt swivel roll	±35° ±90° ±7°	+15°/-5° ±90° ±5°	—	0°, 5° or 10° ±45° ±1°	+15°/-5° ±90° ±5°	+15°/-5° ±90° ±5°	+15°/-5° ±90° ±5°	+10°/-5° ±45° ±7°
Horizontal screen adjustment	—	—	—	up to 3.5" (89mm)	—	—	up to 4.5" (114mm)	7.75" (197mm)
Landscape to portrait	—	—	—	—	—	Yes	Yes	Yes
Security	ACC919	ACC919	Yes	Yes	ACC919	ACC925	ACC925	ACC925
Max load	25lb (11kg)	80lb (36kg)	150lb (68kg)	150lb (68kg)	80lb (36kg)	90lb (41kg)	130lb (59kg)	200 lb (90kg)
UL/TUV/GS Listed	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

ACCESSORIES

<p>ACC215</p>  <p>Metal Stud Fastener Kit - 2 togglers</p>	<p>ACC415</p>  <p>Metal Stud Fastener Kit - 4 togglers</p>	<p>ACC615</p>  <p>Metal Stud Fastener Kit - 6 togglers</p>	<p>WSP700/WSP701</p>  <p>Metal stud wall plate for SA740P, SP740P, SA746PU and SP746PU (pg. 6-7)</p>	<p>WSP756</p>  <p>Metal Stud Wall Plate for SA752PU (pg. 7)</p>
<p>WSP816/820/824(-W)</p>  <p>Metal Stud Wall Plate for FPS-1000 and SP850-UNLP (pg. 6) (for 16-, 20- and 24-inch centers)</p>	<p>ACC919</p>  <p>Security Fasteners for SP740P, SP746PU, SA740P and SA746PU Wall Arms (pg. 6 and 7)</p>	<p>ACC925</p>  <p>Security Fasteners for SA752PU and SA761PU Wall Arms (pg. 7)</p>	<p>ACC939</p>  <p>2.25" carriage bolts used with HLG452-xx for thicker desktop surfaces (pg. 3)</p>	<p>PLP-V2X1</p>  <p>Adapter Plate, 200 x 100 mm hole pattern</p>
<p>PLP-V2X2</p>  <p>Adapter Plate, 200 x 200mm hole pattern</p>	<p>PLP-V4X4</p>  <p>Adapter Plate, 400 x 400mm hole pattern</p>	<p>PLP-V6X4</p>  <p>Adapter Plate, 600 x 400mm hole pattern</p>		

